

PERFECT FIT - GLIDE SYSTEM

THE PERFECT FIT SUNWOOD COLLECTION IS AVAILABLE AS A TENSIONED SYSTEM. PERFECT FIT BLINDS REMOVE THE NEED FOR SCREWS/HOLES BEING DRILLED INTO WINDOW FRAMES OR DOORS. THE TENSIONED SYSTEM USES A PLEATED BOTTOM BAR. THE BLIND CAN BE EASILY LOWERED AND RAISED USING A HANDLE IN THE CENTRE OF THE BOTTOM BAR, PROVIDING AN EFFORTLESS WAY TO NAVIGATE YOUR BLINDS


MAHOGANY

FRAME

White is default unless otherwise specified.

Frame Colours Available:

Anodised, Anthracite, Beige, Black, Brown, Golden Oak, Mahogany, White



WHITE

CORNER CAPS

Available in White, Beige, Grey, Tan, Brown, Anthracite and Black.



HEADRAIL

Steel headrail which is colour co-ordinated to the slats

GLASS SIZE MIN/MAX

(W) 24mm x (H) 25i			

HEADRAIL SIZE

MIN WIDTH	MAX WIDTH
250mm	1200mm

MIN DROP	MAX DROP
150mm	2200mm

SIDE FRAMES

Two holes are punched into the side frames. Window fixing brackets attach the blind to the window. Anything over 1100mm drop there will be three holes punched.

Perfect Fit Blinds can be fitted using Fixing brackets or Konnect magnetic strips.

FIXING BRACKETS

Fixing brackets come along with the blind to fit the blind into the window space.

Window fixing brackets come in 8 sizes: 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 38mm

Colours available: White, Brown, Black and Anthracite.

DROP	<1100	>1100
FIXING BRACKETS	4	6










ATTACHING THE BRACKETS

You can use a credit/debit card as a template to find the correct position for the brackets. Place the card length ways along the side of the window in each corner and line up the bracket with the end of the card.



KONNECT MAGNETIC STRIPS

Magnetic strips will come as standard with the blind to fit the blind into the window space.

The blind frame and window frame will need cleaned with alcohol wipe to clear away any dirt to ensure strips will stick.

Max size 1200mm x 1400mm



CORNER JOINTS

Four corner joints hold the frame together.

Composition: Nylon 6

Colours available: White, Brown, Tan, Grey, Beige Anthracite and

Black.



CONTROLS

Blinds over 851mm wide will have 2 handles attached & equally spaced.

CONTROL OPTIONS	
Standard (default) or Reverse	225 - 455mm
Standard (default), Reverse, LL or RR	456mm +

HANDLES

Glide Handle: The handle on the bottom bar is plastic and colour co-ordinated to the bottom bar profile where applicable otherwise frost will be defaulted.

Glide handle colours available: Anthracite, Black, White, and Frost.

Folding Handle: Folding handle option available which can be used for Bi-fold doors. Surcharge applies

Folding handle colours available: Anthracite, Black, Brown, Light Grey, Tan and White

RAISE CONTROL STANDARD	Plastic Glide Handle	
RAISE CONTROL OPTION	Folding Handle	
TILT CONTROL STANDARD	Clear Wand Left hand side	
TILT CONTROL OPTION	Clear Wand Right hand side	



FOLDING HANDLE



GLIDE HANDLE



CLEAR WAND

HANDLE INSERT


Handle insert available in 6 colours to provide clearance of any window handles.

Handle insert position must be supplied at point of order.

Top/Bottom handles are measured from the left hand side beading to the centre of the spindle.

Left/Right handles are measured from the top beading to the centre of the spindle.

Available in White, Grey, Tan, Brown, Anthracite, Black.





GLIDE BOTTOM BAR

Glide bottom bar colours match slats and headrail

Note: Slat colours have been allocated a bottom bar colour, those that do not have a close match will be set with white as default to match white perfect fit frame. Alternatively, customers can choose the bottom bar to match the perfect fit frame.

*Refer to table below for allocated pleated bottom bar colours.

SWIVEL BRACKETS

Perfect Fit blinds come with standard steel swivel brackets attached to the headrail. Brackets are supplied 1 per ladder, see table for reference

PUNCH HOLES

Punch hole spacing will be dependent on cut down of slats.

Please refer to table for punch hole spacing

Actual size ordered cm - 30, 40, 50, 60, 70, 80, 90, 105, 120

Punch holes are to be +/-2mm of specified width above

SLAT WIDTH	PUNCH HOLES DISTANCE
300mm	85
400mm - 800mm	105
900mm -1200mm	190



BOTTOM BAR

(H) 14mm x (W) 22mm

COLOURS AVAILABLE (TO MATCH THE FRAME) Anthracite Brown Tan Silver White



85	130	85	1
			30cm
105	190	105	1
			40cm
105	290	105	1
			50cm
105	390	105	1
			60cm
105	490	105	
			70cm
105	590	105	
		1	80cm
190	520	190	
		1	90cm
190	620	190	
			105cm
190	820	190	
			120cm

TENSION CORD

The tensioned cord runs down the centre punch holes. Tension cord is colour coordinated to the slats.

Top Slat Clips are on each blind to ensure the blind opens and closes with ease.

Bottom Slat Clips are attached to all blinds to tidy up loose ladder on the blinds.

Perfect Fit Glide System



Glide Bottom Bar and Handle



Top Slat Clip



Finishing Slat Clip



PERFECT FIT UNIVERSAL

Perfect Fit Universal frame allows you to fit your blind outside of the window recess.

Available in 2 colours; White and Anthracite

Max Size 1200mm x 1800mm



PERFECT FIT SUNWOOD® SPECIFICATION

SUNWOOD SLAT SIZE

25mm

SUNWOOD® COLOUR	SUNWOOD® RANGE	BOTTOM BAR COLOUR
Ash	Essential	Silver
Auburn	Essential	Brown
Carbon	Essential	Black
Honey	Essential	Tan
Kalm	Essential	Silver
Kohl	Essential	Anthracite
Morena	Essential	White
Oregon	Essential	Tan
Perla	Essential	White
Polar	Essential	White
Pure	Essential	White

- All parts of the blind are colour coordinated where applicable.
- Cords and ladders are colour matched to the wood colour where applicable.

SUNWOOD PERFECT FIT - WHOLESALE SPECIFICATION

Sunwood Perfect Fit components and 25mm punched slats are available to order as wholesale items.

Components listed will enable blinds to be manufactured using Decora's Glide tensioned system, using the Glide bottom bar. The blind can be easily lowered and raised using the handle in the centre of the bottom bar, this provides an effortless way to operate your blinds.

Sunwood 25mm punched slat is available in the listed colours:

SLAT COLOUR				
Ash				
Auburn				
Carbon				
Honey				
Kalm				
Khol				
Morena				
Oregon				
Perla				
Polar				
Pure				

SUNWOOD COMPONENTS

CODE	DESCIPTION	QUANTITY
Code on Application	25mm Coloured Headrail (4m Lengths)	120m
Code on Application	25mm Ladder: Colours Available: Ash, Auburn, Carbon, Honey, Kalm, Khol, Morena, Oregon, Perla and Pure	400m
Code on Application	1.4mm Cord	1000m
VC983	25mm Tilter 24 x 25mm	500m
VC980	25m Metal Rod D Type 4m Lengths	400m
VC981	25mm Tape Roll 24 x 25mm	200m
VC982	25mm Tape Roll Support 24 x 25mm	200m
VC749	Braid Clip 4mm	5000m
VC961	25mm Hook for Wand	200
VC962	25mm Hexagonal Solid Wand 3m Lengths	600
VC025	Wand Handle Clear	5000
PF017	25mm Wood Top Slat Clip	4000
PF008	Perfect Fit Concealed Mount Bracket	1000
PF045	Hook Tensioner (Size 3)	1440
PF602	Cord Fixing Brass Ring	1000
PF007	Perfect Fit Cord Tension Spring	200

RECOMMENDED SUNWOOD COMPONENT COLOUR MATCHES

COLOUR	CODE	HEADRAIL 24 X 25	CODE	GLIDE BOTTOM BAR	CODE	1.4MM CORD	CODE
Ash	CDWASH	25mm Aluminium	V25640	Silver	PF083	Aluminium	V25308
Auburn	CDWAUBURN	25mm Mirano	V25650	Brown	PF100	Мосса	V25325
Carbon	CDWCARBON	25mm Sonar	V25600	Black	PF73	Mirano	V25328
Honey	CDWHONEY	25mm 9405	V25659	Tan	PF084	Latte	V25326
Kalm	CDWKALM	25mm Gravel	V25622	Silver	PF083	Aluminium	V25308
Khol	CDWKHOL	25mm Soul	V25607	Anthracite	PF101	Zircon	V25321
Morena	CDWMORENA	25mm Beige	V25636	White	PF082	Ivory	V25324
Oregon	CDWOREGON	25mm Mink	V25649	Tan	PF084	Electra Gold	V25309
Perla	CDWPERLA	25mm Melodi	V25602	White	PF082	Lusso	V25341
Polar	CDWPOLAR	25mm Vapour	V25603	White	PF082	Gloss	V25316
Pure	CDWPURE	25mm Vapour	V25603	White	PF082	Gloss	V25316

25MM LADDER	CODE	GLIDE BOTTOM BAR HANDLE	CODE	FOLDING HANDLE	CODE
Ash	WVH-L1AH	Frost	PF102	Light Grey	PF159
Auburn	WVH-L1AN	Frost	PF102	Brown	PF158
Carbon	WVH-L1CA	Black	PF116	Black	PF162
Honey	WVH-L1HY	Frost	PF102	Tan	PF161
Kalm	WVH-L1KA	Frost	PF102	Light Grey	PF159
Khol	WVH-L1KH	Anthracite	PF115	Anthracite	PF160
Morena	WVH-L1MO	White	PF114	White	PF157
Oregon	WVH-L1OR	Frost	PF102	Tan	PF161
Perla	WL25-LADPE	White	PF114	White	PF157
Pure	WVH-L1PUR	White	PF114	White	PF157
Pure	WVH-L1PUR	White	PF114	White	PF157